#### DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

# RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA750)

#### Migration of Contaminated Groundwater Under Control

Facilit	y Name:	ATOFINA Chemicals, Inc. (Formerly Elf Atochem)
Facility Address:		NYS Route 63, Piffard, New York
Facilit	y EPA ID #:	NYD002218436
<ol> <li>Has all available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination?</li> </ol>		edia, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units
	<u>X</u>	If yes - check here and continue with #2 below.
	in wat laurend	If no - re-evaluate existing data, or
	ar grassmi <mark>cistico</mark>	if data are not available, skip to #8 and enter"IN" (more information needed) status code.
BACK	CROUND	

#### <u>BACKGROUND</u>

#### Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

# Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

#### Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

#### Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

2.	Is <b>groundwater</b> known or reasonably suspected to be "contaminated" above appropriately protective "levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?
	X If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.
	If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."  If unknown - skip to #8 and enter "IN" status code.
	Rationale and Reference(s): The facility occupies approximately 300 acres of land off of Route 63 in the Town of York, Livingston County, New York. Approximately 75 acres of the 300 acre property is used for material processing, the remainder of the property is undeveloped. The site is bordered by the Genesee River on the north, agricultural and undeveloped land on the east and west and a residential area on the southwest. The nearest resident is approximately 2,000 feet southwest of the site.  The primary products manufactured at the facility are organic peroxides. These products are widely used in the plastics industry as initiators for free radical polymerization and/or copolymerization of vinyl and diene monomers; as curing agents for thermoset resins; and as cross-linking agents for elastomers and polyethylene.  The facility has conducted a RCRA Facility Investigation (RFI) for five Solid Waste Management Units (SWMUs) at the facility and has been approved by the NYSDEC in January 1996. Limited areas of soil
	and groundwater contamination has been detected at a former container storage area and the east landfill area. Contaminants include both volatile (<1 ppm) and Semi-volatile organic (<10 ppm) compounds in the groundwater (see attached Table). Further details on the presence and magnitude of detected contamination can be found in Tables 1-1through 1-7 of the "draft Corrective Measures Study, Elf Atochem North America, Inc. Geneseo Facility, Malcolm Pirnie, February 1998"
on Silze zaribe zalawhen	A continue of the continue of
Footnot	es:

<sup>1</sup>"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

3.	Has the <b>migration</b> of contaminated groundwater <b>stabilized</b> (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater" as defined by the monitoring locations designated at the time of this determination)?	
	The state of the s	If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination" <sup>2</sup> ).
	many and policy time	If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination" <sup>2</sup> ) - skip to #8 and enter "NO" status code, after providing an explanation.
	of the second	If unknown - skip to #8 and enter "IN" status code.
	that the presence	eference(s): Data gathered as part of the RCRA Facility Investigation has demonstrated of groundwater contamination is limited to the source materials. Low permeability soils

Rationale and Reference(s): <u>Data gathered as part of the RCRA Facility Investigation has demonstrated that the presence of groundwater contamination is limited to the source materials. Low permeability soils and low hydraulic gradient serve to retard the migration of groundwater. Further details on the presence and magnitude of detected contamination can be found in Table 2-4 of the "draft Corrective Measures Study, Elf Atochem North America, Inc. Geneseo Facility, Malcolm Pirnie, February 1998"</u>

<sup>&</sup>lt;sup>2</sup> "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

	1 age 4
4.	Does "contaminated" groundwater discharge into surface water bodies?
	If yes - continue after identifying potentially affected surface water bodies.
	X If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.
	If unknown - skip to #8 and enter "IN" status code.
	Rationale and Reference(s): The extent and rate of migration of groundwater contamination has been defined at the facility. Although the Genesee River is in close proximity of the areas of contamination, data gathered as part of the RFI has determined that surface water is not impacted by groundwater contamination. Further discussion on the potential loading of contaminants to the Gensee River can be found in Section 2.1.2 and Appendix A of the "draft Corrective Measures Study, Elf Atochem North America, Inc. Geneseo Facility, Malcolm Pirnie, February 1998".

5.	maximum conc appropriate gro discharging con	ge of "contaminated" groundwater into surface water likely to be "insignificant" (i.e., the centration of each contaminant discharging into surface water is less than 10 times their bundwater "level," and there are no other conditions (e.g., the nature, and number, of intaminants, or environmental setting), which significantly increase the potential for impacts to surface water, sediments, or eco-systems at these concentrations)?
Salah	The marked appropriate and the second appropriat	discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of
	for others of the same of the solution of the	the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations <sup>3</sup> greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.
	Harar I	If unknown - enter "IN" status code in #8.  Reference(s):
	7	
	1	
	-	
	ries or reasons. on	the comments are the formulation and a comment to be commented to grant the grant of the comments of the comme
	Agomont document	microfichebulom ed blands Dagadose, a a) tellerands ancientique euroge compresses
		20 July 1990 v.
	otto <del>rio or or or or or</del>	
	al r <del>ice que anice de la</del>	

<sup>&</sup>lt;sup>3</sup> As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

6.		ge of "contaminated" groundwater into surface water be shown to be "currently, not cause impacts to surface water, sediments or eco-systems that should not be allowed
	to continue until	a final remedy decision can be made and implemented <sup>4</sup> )?
		water/sediment contamination, surface water and sediment sample results and
		If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.
	S <del></del>	If unknown - skip to 8 and enter "IN" status code.
	Rationale and Re	eference(s):
	***************************************	
	2	

<sup>&</sup>lt;sup>4</sup> Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

<sup>&</sup>lt;sup>5</sup> The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

7.	Will groundwater <b>monitoring</b> / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"				
	X If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."				
	If no - enter "NO" status code in #8.				
	to a the contract with public and assume somewhat have contract to				
	If unknown - enter "IN" status code in #8.  Rationale and Reference(s): The remedy for soil and groundwater contamination at the facility has not yet				
	collected to assess the effectiveness of the remedial action and determine if final clean-up levels have been				
	achieved. Depending on the selected remedy and its effectiveness to achieve groundwater restoration,				
	long-term monitoring may be required.				
	TO THE REAL PROPERTY OF THE PR				

8.	EI (event code C	priate RCRIS status codes for the Migration of Contaminated Groundwater Under Control A750), and obtain Supervisor (or appropriate Manager) signature and date on the EI low (attach appropriate supporting documentation as well as a map of the facility).
	<u>X</u>	YE - Yes, "Migration of Contaminated Groundwater Under Control" has been
		verified. Based on a review of the information contained in this EI
		determination, it has been determined that the "Migration of Contaminated
		Groundwater" is "Under Control" at the ATOFINA Chemicals, Inc. facility,
		EPA ID # NYD002218436, located at NYS Route 63, Piffard, New York.
		Specifically, this determination indicates that the migration of "contaminated"
		groundwater is under control, and that monitoring will be conducted to confirm
		that contaminated groundwater remains within the "existing area of
		contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.
		Agency becomes aware of significant changes at the facility.
	ad at a second	NO - Unacceptable migration of contaminated groundwater is observed or expected.
	others and and	IN - More information is needed to make a determination.
		An arm of the arm of t
	0 1 11	(
	Completed by	(signature) Date 09/29/2000
		(print) Kent D. Johnson (title) Engineering Geologist 2
		(title) Engineering Geologist 2
	Supervisor	(signature) Date 09/29/2000
	Supervisor	(print) Paul J. Merges, Ph.D.
		(title) Director, Bureau of Radiation and Hazardous Site Management

Locations where References may be found:


New York State Department of Environmental Conservation, Division of Hazardous Substances Regulation 50 Wolf Road, Room 460, Albany, NY 12233-7251 (518) 457-9253

(EPA Region or State) NYSDEC

New York State Department of Environmental Conservation, Region 8 Office 6274 East Avon-Lima Road, Avon, NY 14414 (716) 226-2466

Contact telephone and e-mail numbers

(name)Kent D. Johnson (phone #) (518) 457-9253 (e-mail) kdjohnso@gw.dec.state.ny.us




MAICOLM PIRNIE

A10-23-VIC

GENESEO FACILITY
CORRECTIVE MEASURES STUDY
VICINITY MAP

ELF ATOCHEM NORTH AMERICA, INC. JANUARY 1998



MALCOLM

0315G11A XREF]0315G99,0315XCON

GENESEO FACILITY
CORRECTIVE MEASURES STUDY WORK PLAN

LOCATION OF SWMUs

ELF ATOCHEM NORTH AMERICA, INC.

NC. MARCH 1990